Download File

Radmin Server 3.5 Keygen: How to Crack Radmin Server 3 Passwords

Radmin Server 3 is a remote administration software that allows users to control and manage computers over a network. However, if you forget or lose your Radmin Server 3 password, you might not be able to access your remote computer. In this article, we will show you how to use a keygen tool to crack Radmin Server 3 passwords and regain access to your remote computer.

What is a keygen?

A keygen is a software that generates serial numbers or license keys for various software products. Some keygens are legitimate tools that are used by developers or customers to activate their software, while others are illegal tools that are used by hackers or pirates to bypass software protection and use the software for free.

How to use a keygen for Radmin Server 3?

There are several keygens available online for Radmin Server 3, but not all of them are reliable or safe. Some keygens might contain malware or viruses that can harm your computer or steal your data. Therefore, you should be careful when downloading and using any keygen tool. One of the keygens that we found online is called Radmin3-Password-Cracker, which is hosted on GitHub[^1^]. This keygen is a tool that can dump and crack Radmin Server 3 credentials from the Windows registry. It consists of two files: hash_dumper.py and radmin3_bf.c. The first file is a Python script that extracts the username, salt, and verifier from the registry key of Radmin Server 3. The second file is a C program that performs a brute-force attack on the verifier using a wordlist file. To use this keygen, you need to follow these steps:

- Recover Radmin Server 3 user information from HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Radmin\v3.0\Server\Parameters\Radmin Security. There might be several registry keys here, one for each user. Export them using the "export" option from the right-click menu of regedit.exe. Save each one in a different file
- 2. Run python3 hash_dumper.py regkey.txt on the key you want to extract data from. You can supply a wordlist directly using --wordlist ./test.txt if you want to brute-force the

- password, but this will be very slow.
- 3. For a faster password brute-force, paste the username, salt and verifier extracted by the Python script into the constants of the radmin3_bf.c file. Compile the file with g++ -o radmin3 bf -03 radmin3 bf.c -lssl -lcrypto -lpthread.
- 4. Run the binary with a wordlist file name as first argument: ./radmin3_bf ./test.txt.

If the password is found, it will be displayed on the screen. Otherwise, you will need to try a different wordlist or registry key.

Disclaimer

This article is for educational purposes only. We do not condone or encourage the use of illegal or unethical methods to crack software passwords. You should only use this keygen if you have forgotten or lost your own Radmin Server 3 password and you have the legal right to access your remote computer. We are not responsible for any damages or consequences that may arise from using this keygen.

Radmin Server 3 5 Keygen

27f17ad7a0